


VISTA SECURITY SCREEN PREMIUM SERIES PROTECTIVE SECURITY DOOR

CUSTOM DOOR (HEIGHT) GUIDELINES:
PREMIUM HINGED 3 SIDED = 21.17" RECOMENDED MIN HEIGHT
PREMIUM FRENCH 3 SIDED=210.14" RECOMENDED MAX HEIGHT
CUSTOM DOOR (WIDTH) GUIDELINES:
PREMIUM HINGED 3 SIDED =13.29" RECOMENDED MIN WIDTH
PREMIUM FRENCH 3 SIDED = 80.22" RECOMENDED MAXWIDTH

OPTIONS:
MID-RAIL OPTIONS - VERTICAL AND HORIZONTAL (DETAIL 3/1.01)
INSIDE LEVER OPERATED LOCK
TRIPLE POINT LOCKS


- COLOR OPTIONS:
- WHITE
 - BLACK
 - BROWN
 - SAHARA BROWN
 - LIGHT GRAY
 - SILVER
 - ALMOND
 - BRONZE
 - SAHARA GRAY
 - CUSTOM

STRUCTURAL DISCLAIMER:
ALL CUSTOMERS WHO IN ANY WAY UTILIZE THIS PRODUCT ARE SOLELY RESPONSIBLE TO CONSULT A STRUCTURAL ENGINEER TO DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND SITE CONDITIONS. ALL INSTALLERS MUST BE QUALIFIED AND HAVE PROFESSIONAL KNOWLEDGE ABOUT COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS, SAFETY FACTORS, AND THE APPROPRIATE CHOICE OF FIXING MATERIAL AND PROCEDURES.




PREMIUM PIVOT DOOR - 3 SIDED FRAME (SHOWN RHR & LHR SWING)

DOOR SWING CHART



"INDUSTRY STANDARD" DOOR STYLES AND SWINGING DOOR PATTERNS


THERE ARE THREE BASIC DOOR STYLES TYPICALLY REFERRED TO THROUGHOUT THE INDUSTRY APPLICABLE TO THE VISTA SECURITY SCREEN PROTECTIVE SECURITY SCREEN DOOR SYSTEMS. BY IDENTIFYING YOUR BASIC DOOR STYLE AND SWING, IT WILL HELP MAKE CLEAR WHAT YOUR INTENTIONS ARE FOR THE PARTICULAR PROJECT. FOR MORE INFORMATION PLEASE CONTACT US AT(310) 886-1756 OR FAX US AT (310) 327-1180.



① SECTION DETAIL AT HEAD

ARCH REF: N/A


1'-0"=1'-0"



② SECTION DETAIL AT SILL

ARCH REF: N/A


1'-0"=1'-0"



③ SECTION DETAIL AT MIDRAIL - OPTIONAL

ARCH REF: N/A


1'-0"=1'-0"



① SECTION DETAIL AT JAMB

ARCH REF: N/A

1'-0"=1'-0"



② SECTION DETAIL AT JAMB

ARCH REF: N/A

1'-0"=1'-0"